

Appl. No. 08/932,227
Amdt. Dated Sep. 29, 2004
Reply to Notice of Jul. 29, 2004

BEST AVAILABLE COPY**REMARKS/ARGUMENT****Status of the Claims**

Claims 33-35, 38-44, 47-53, 56-59 and 61-81 are pending.

Claims 33-35, 38-41, 51-53, 56-59, 61-73 and 75-81 are rejected.

I. Specification

Applicant amends the specification as requested by the examiner. The changes to the original specification by modification of the original paragraphs are presented to show the changes made. A marked up copy of substitute specification is attached as requested.

THE SUBSTITUTE SPECIFICATION, BOTH THE CLEAN COPY AND THE MARKED UP COPY HAS NO NEW MATTER. The changes to the specification does not constitute new matter because all changes to the specification were present in the originally filed claims 1-32. The courts have held that the information contained in the originally filed claims, abstract and drawings may amended into the specification and not be considered as prohibited new matter. Therefore entry of the amendments to the specification are requested

Appl. No. 08/932,227
Amdt. Dated Sep. 29, 2004
Reply to Notice of Jul. 29, 2004

as they are fully supported by the original filed application.

II. Rejections Under 35 U.S.C. § 112, First Paragraph

Claims 33-35, 38-41, 64-69, 70-73, 75-77 and 79-81 are rejected under 35 U.S.C. § 112, first paragraph, as containing subject matter not described in the specification. Applicant addresses the rejections of claims through amendment of the specification. The amendment of the specification addresses the rejections. Applicant respectfully requests reconsideration and removal of the rejections.

III. Rejections Under 35 U.S.C. § 112, Second Paragraph

Claims 33-35, 38-41, 64-69, 70-73, 75-77 and 79 and 81 are rejected under 35 U.S.C. § 112, second paragraph, as containing subject matter not described in the specification. Applicant addresses the rejections of claims through amendment of the claims. The term agents are supported by the specification. Applicant respectfully requests reconsideration and removal of the rejections.

Appl. No. 08/932,227
Amdt. Dated Sep. 29, 2004
Reply to Notice of Jul. 29, 2004

IV. Rejections Under 35 U.S.C. § 102/35 U.S.C. § 102

Claims 64-66 stand rejected under 35 U.S.C. § 102(a) as being anticipated or in the alternative obvious over Saavedra et al (5,632,981). Applicant traverses the rejection of claims 64-66 because Saavedra does not teach the use of L-arginine or its derivatives that uses the bodies own mechanisms to create nitric oxide to treat the claimed conditions. Therefore it is an improper rejection because it fails to teach each and every element. Furthermore, the claim is a method claim and not a product by process claim and thus the examiner's citation of Graham v. Deer is moot.

V. Rejections Under double patenting

Claims 33-35, 38-41, 51-53, 56-59 and 61-81 are rejected under the doctrine of obviousness-type double patenting over claims 1-11 of U.S. patent no. 6,207,713. Applicant respectfully requests removal of the double patenting rejection as the '713 patent fails to teach the method of growing hair, treating impotence or healing ulcers.

Appl. No. 08/932,227
Amdt. Dated Sep. 29, 2004
Reply to Notice of Jul. 29, 2004

VI Conclusion

This submission corrects the defects as indicated by the examiner. Based on the foregoing, it is respectfully requested that all rejections be withdrawn and the application be passed to issue.

Respectfully submitted,
Lorusso Loud & Kelly LLP

Dated: 29 SEP 2004

Jeffrey D. Washville

Reg. No. 46,366

Enclosure: 24 pg. Marked up Specification

15 Rye Street, Suite 312
Pease International Tradeport
Portsmouth, NH 03801
Tel.: (603) 427-0070
FAX: (603) 427-5530

Certificate of Mail Under 37 C.F.R. §1.8

The undersigned hereby certifies that this paper along with any paper or document referred to therein as being attached or enclosed, is being transmitted to the Commissioner for Patents, Mail Stop Non-Fee Amendment, P.O. Box 1450, Alexandria, VA 22313-1450- This 29th day of SEPTEMBER 2004.

Jeffrey D. Washville

BACKGROUND

[0001] 1. Field of the Invention

[0002] This invention relates to topical application of a cream, gel, or other vehicle which contains substances such as L-arginine which delivers these substances into tissue for the purpose of producing beneficial effects such as growth of hair on the scalp, healing of leg ulcers secondary to diabetes or confinement to bed and overcoming erectile dysfunction, as well as beneficial effects through restoration of natural mechanisms based on improvement of local blood supply.

[0003] 2. Prior Art

[0004] Approaches to improving local blood flow have been many and consist of both systemic and topical approaches. Many beneficial effects could be obtained should improvement in local blood flow be achieved since impairment of local blood flow causes a variety of negative consequences.

[0005] It has been recognized that deficiencies in blood flow in the scalp occur in male pattern baldness. See G. Duplechain et al., J. Louisiana State Med Soc. 146, 7 (1994); P Klomp et al., J Invests Dermatol 95, 725 (1989); S Toshitani et al., J Dermatol 17, 240 (1990). Topical minoxidil has been used as an agent for hair growth in male pattern baldness with varying results. Though the suggestion has been made that minoxidil operates through increase in the blood supply to the scalp, many investigators have failed

to show such an effect. See E de Boer et al., *Acta Dermato- Venereologica* 68, 271 (1988); C Bunker et al., *British J Derm* 117, 668 (1987).

[0006] It has long been recognized that impaired blood flow to the penis is a major cause of erectile failure (impotence) in men. See A Moradian et al. *Am J. Med* 85, 748, (1988); T Hwang et al. *J Formosan Med Assoc* 89, 992 (1990). Further it has been recognized by using isolated tissue in vitro and in animal experiments that nitric oxide is an important mediator of relaxation of the vessels in penile cavernous tissue. See H Kirkeby et al. *Acta Physiol Scand* 149, 385 (1993). Topical nitroglycerine has been used in the treatment of impotence because of its ability to dilate vessels. The results were inconclusive and the treatment not well tolerated because of the cardiac response to nitroglycerine. See S Negelev *J Urology* 143, 586 (1990).

[0007] Accordingly, several objects and advantages of the instant invention are to induce the growth of hair on portions of human scalp which has insufficient hair by means of enhancement of the body's natural mechanisms. It is yet another object of the instant invention to induce healing of superficial ulcers of the limbs by means of enhancement of the body's natural mechanisms. It is still another object of the instant invention to overcome erectile failure restoring natural male sexual function by means of enhancement of the body's own natural mechanisms.

SUMMARY OF THE INVENTION

[0008] It was discovered that topical application of a nitric oxide precursor, L-arginine, in its various forms contained in a variety of topical preparations, either by themselves or with other agents to aid in penetration, such as a high ionic strength environment, neutralization of its charge in a complex or by other means, or included in a liposome or other biological carrier, when administered to the scalp causes hair growth, when administered to superficial ulcers causes healing and when administered to the penis enhances erectile function.

[0009] In one embodiment of the invention, a penetrating cream containing L-arginine at an effective concentration and a salt, such as sodium chloride, at a concentration sufficient to create a hostile biophysical environment for the L-arginine in the cream is applied to nightly to the scalp containing a deficit of hair induces hair growth within 3-4 months.

[0010] Further, in accordance with this invention, a penetrating cream containing L-arginine in a concentration sufficient to produce the desired effect along with sodium chloride or other salts at a concentration sufficient to produce a hostile biophysical environment when applied to the penis induces firm and natural erections within 20 minutes.

[0011] Consequently, with the discovery of the present invention, a means to restore hair growth on a portion of scalp scarce in hair has been found. Further, with the discovery of the present invention, a means to heal superficial ulcers has been found. Additionally, with the discovery of the present invention, a means to overcome erectile dysfunction has been found.

[0012] In preferred embodiments, the delivery vehicle is a penetrating cream, the L-arginine is present as L-arginine hydrochloride (0.25 to 25%) in a concentration sufficient to produce the desired effect and the agent which creates the hostile biophysical environment is sodium chloride (0.25 to 25%) at a concentration sufficient to aid in tissue absorption.

[0013] These and other objects and features of the present invention will become apparent to those skilled in the art from reading the description of the invention, which follows.

DETAILED DESCRIPTION OF THE INVENTION

[0014.1] Nitric oxide causes increased local blood flow, which enables the growth of hair, which when applied to leg ulcers cause healing through use of the body's own mechanisms and when applied to a penis subject to erectile dysfunction causes restoration of normal sexual function. This effect is achieved by providing the biochemical substrate at the local site from which the controlling substance, nitric oxide is produced. Nitric

oxide causes increases in local blood flow allowing the body's own healing cells and substances to reach the ulcer site. A method for increasing the local blood flow in tissue of a mammal involves topically administering to the mammal an effective amount of a nitric oxide precursor. The nitric oxide precursor is administered in a delivery vehicle wherein the delivery vehicle is a penetrating cream, a liquid, a lotion, an ointment or other topical preparation and wherein the nitric oxide precursor is L-arginine a salt, a complex or a derivative thereof.

[0014.2] The preferred One embodiment consists of a base cream with the properties of excellent absorption into the skin which also contains L-arginine hydrochloride (12.5% w/v), choline chloride (10%), sodium chloride (5% w/v) and magnesium chloride (5% w/v). The components of the base cream may be those commonly found in hand creams, such as water, mineral oil, glyceryl stearate, squalene, propylene glycol stearate, wheat germ oil, glyceryl stearate, isopropyl myristate, stearyl stearate, polysorbate 60, propylene glycol, oleic acid, tocopherol acetate, collagen, sorbitan stearate, vitamin A & D, triethanolamine, methylparaben, aloe vera extract, imidazolidinyl urea, propylparaben, and BHA.

[0014.3] In another embodiment, the cream can comprise water (20-80%), mineral oil (3-18%), glyceryl stearate SE (0.5-12%), squalene (0.2-12%), cetyl alcohol (0.1-11%), propylene glycol stearate SE (0.1-11%), wheat germ oil (0.1-6%), glyceryl stearate (0.1-6%), isopropyl myristate (0.1-6%), stearyl stearate (0.1-6%), polysorbate 60 (0.1-5%), propylene glycol(0.05-5%), tocopherol acetate (0.05-5%), collagen (0.05-5%), sorbitan

stearate (0.05-5%), vitamin A&D (0.02-4%), triethanolamine (0.01-4%), methylparaben (0.01-4%), aloe vera extract (0.01-4%), imidazolidinyl urea (0.01-4%), propylparaben (0.01-4%), bha (0.01-4%), L-arginine hydrochloride (0.25% to 25%), sodium chloride (0.25% to 25%), magnesium chloride (0.25% to 25%).

[0014.4] An effective amount of a nitric oxide precursor is provided for increasing local blood flow in tissue. The nitric oxide precursor is L-arginine, a salt, a complex or a derivative thereof. An effective amount of nitric oxide precursor is L-arginine glutamate (0.25-25%). L-arginine hydrochloride (0.25-25%) provides a precursor to the molecule, nitric oxide, NO. Nitric oxide is the substance that relaxes the blood vessels, allowing for increased blood flow. This invention relates to topical application of a cream, gel, or other vehicle which contains substances such as L-arginine which delivers these substances into tissue for the purpose of producing beneficial effects based on improvement of local blood supply.

[0014.5] In another embodiment L-arginine further comprises a sufficient amount of ionic salt such as to create an ionic environment to cause absorption of the nitric oxide precursor. Choline chloride (0.25 to 25%), sodium chloride (0.25 to 25%) and magnesium chloride (0.25 to 25%) provides a high ionic strength environment for the highly charged molecule, L-arginine. This high ionic strength environment is an example of a hostile biophysical environment for L-arginine. That is, the highly charged ionic strength is an unfavorable environment for the highly charged L-arginine making the L-arginine anxious to move to a more hospitable, less charged environment such as human

tissue. The base cream containing L-arginine (0.25 to 25%), choline chloride (0.25 to 25%), sodium chloride (0.25 to 25%) and magnesium chloride (0.25 to 25%) is the agent which produces beneficial effects such as hair growth, healing of ulcers such as leg ulcers or restoration of normal erectile function in males suffering from erectile dysfunction.

[0015] The cream, in another embodiment, acts effectively to induce hair growth on human scalp lacking sufficient hair when applied nightly to the bald area each night for several months. Hair growth is naturally a slow process. However, substantial hair growth is achieved over large areas of scalp with results becoming evident in a few weeks and substantial within several months.

[0015.1] Yet further, the cream, in another embodiment, acts to promote healing of superficial ulcers such as those sometimes found on the legs of persons with severe diabetes. Application twice daily for a period of two weeks causes substantial healing and in many cases complete healing is achieved within this time period or slightly longer (3-4 weeks). This invention relates to topical application of a cream, gel, or other vehicle which contains substances such as L-arginine which delivers these substances into tissue for the purpose of producing beneficial effects through restoration of natural mechanisms based on improvement of local blood supply.

[0015.2] In another embodiment, the nitric oxide precursor may be administered with a trans-dermal patch, wherein the nitric oxide precursor is L-arginine, a salt, or a complex thereof. The trans-dermal patch, in another embodiment, can further comprise a

sufficient amount of ionic salts such as to create an ionic strength environment to cause tissue absorption of the L-arginine species.

[0015.3] Still further, in another embodiment, the cream acts to overcome erectile dysfunction in males causing restoration of natural sexual function. The method for overcoming impotence is by applying, through means of a delivery vehicle to the penis, an effective dose of a precursor to the endothelial relaxing factor, nitric oxide. The delivery vehicle is a penetrating cream, a liquid, a lotion, and ointment or other topical preparation containing L-arginine, salt or salts of L-arginine, a complex of L-arginine or a derivative of L-arginine in an effective dose. In another embodiment, a complex of L-arginine or a derivative of L-arginine in an effective dose is combined with ionic salts such as to create an ionic strength environment high enough to provide an extra force to cause tissue absorption of the L-arginine species.

[0015.4] These applications and others share as a common mechanism of action, improvement in local blood flow. A method for increasing local blood flow in tissue of a mammal is administering topically an effective amount of a nitric oxide precursor, wherein the nitric oxide precursor is either an L-arginine salt, complex or derivative thereof. An example providing an effective amount of nitric oxide precursor is by using L-arginine hydrochloride (0.25% to 25%) or L-arginine glutamate (0.25-25%). In the case of an alternative active agent were used it would be simply substituted for L-arginine in a delivery preparation. A sufficient amount of ionic salt such as to create an ionic

environment may be included to cause absorption of the nitric oxide precursor.

[0015.5] ~~A method of delivering a nitric oxide releasing substance selected from a member of the group consisting of L-arginine, L-arginine salts and L-arginine derivatives, to skin comprising the step of topically applying to the skin a delivery vehicle for the substance, said delivery vehicle containing an effective amount of the substance, and a concentration of ionic salt sufficient to create a hostile biophysical environment which causes the substance to migrate from the delivery vehicle to the skin where the substance is absorbed by tissue wherein [a] said delivery vehicle comprises water (20-80%), mineral oil (3-18%), glyceryl stearate (0.5-12%), squalene (0.2-12%), cetyl alcohol (0.1-11%), propylene glycol stearate (0.1-11%), wheat germ oil (0.1-6%), glyceryl stearate (0.1-6%), isopropyl myristate (0.1-6%), stearyl stearate (0.1-6%), polysorbate 60 (0.1-5%), propylene glycol (0.05-5%), tocopherol acetate (0.5-5%), collagen (0.05-5%), sorbitan stearate (0.05-5%), vitamin A&D (0.02%-4%), triethanolamine (0.01-4%), methylparaben (0.01-4%), aloe vera extract (0.01-4%), imidazolidinyl urea (0.01-4%), propylparaben (0.01-4%), bha (0.01-4%), L-arginine hydrochloride (0.25% to 25%), sodium chloride (0.025% to 25%), and magnesium chloride (0.25% to 25%) is applied to the skin.~~

[0015.6] ~~A method of treating impotence in a male comprising delivering a nitric oxide releasing substance selected from a member of the group consisting of L-arginine, L-arginine salts and L-arginine derivatives, to skin comprising the step of topically applying to the penis a delivery vehicle for the substance, said delivery vehicle containing an~~

~~effective amount of substance, and a concentration of ionic salt sufficient to create a hostile biophysical environment which causes the substance to migrate from the vehicle to the penis where the substance is absorbed by tissue wherein [a] said delivery vehicle comprises water (20-80%), mineral oil (3-18%), glyceryl stearate (0.5-12%), squalene (0.2-12%), cetyl alcohol (0.1-11%), propylene glycol stearate (0.1-11%), wheat germ oil (0.1-6%), glyceryl stearate (0.1-6%), isopropyl myristate (0.1-6%), stearyl stearate (0.1-6%), polysorbate 60 (0.1-5%), propylene glycol (0.05-5%), tocopherol acetate (0.5-5%), collagen (0.05-5%), sorbitan stearate (0.05-5%), vitamin A&D (0.02%-4%), triethanolamine (0.01-4%), methylparaben (0.01-4%), aloe vera extract (0.01-4%), imidazolidinyl urea (0.01-4%), propylparaben (0.01-4%), bha (0.01-4%), L-arginine hydrochloride (0.25% to 25%), sodium chloride (0.025% to 25%), and magnesium chloride (0.25% to 25%) is applied to the penis.~~

[0015.7] ~~As displayed in the examples above an effective concentration of a nitric oxide releasing substance selected from a member of the group consisting of L-arginine, L-arginine salts and L-arginine derivatives is (0.25% to 25%), when used in combination of salts each having a concentration of (0.25% to 25%). In the case of creating a high ionic strength ions such as but not limited to sodium chloride, potassium chloride, choline chloride, magnesium chloride, lithium chloride, alone or in combination were added in high concentration.~~

Other Embodiments

[0016] Other active agents

[0017] While L-arginine hydrochloride (0.25 to 25%) is the preferred active agent because it is the agent in nature itself, it is non-toxic, is highly soluble and it is inexpensive, other agents could be used which are also precursors or donors of nitric oxide. These include D,L -arginine, L-arginine, alkyl (ethyl, methyl, propyl, isopropyl, butyl, isobutyl, t-butyl) esters of L-arginine and salts thereof. Pharmaceutically acceptable salts include hydrochloride, glutamate, butyrate, and glycolate.

[0018] In the case of an alternative active agent were used it would be simply substituted for L-arginine in a delivery preparation and the preparation used as in the case of the L-arginine preparation such as using either L- arginine hydrochloride (0.25 to 25%) or ~~Wherein the nitric oxide precursor is~~ L-arginine glutamate (0.25 to 25%) instead of L- arginine.

[0019] Other means of effecting or improving absorption

[0020] A variety of means for effecting or improving absorption of the active agent can be envisioned, which are provided in the following several embodiments. One principle behind the absorption of a highly charged molecule such as L-arginine into tissue is to either create a biophysically hostile environment in the delivery vehicle such that L-

arginine would prefer to be in tissue, or in an another embodiment is to package L-arginine in such a way that it is carried into tissue or neutralize its charge by derivitization or forming a neutral salt. Examples of biophysically hostile environments, include but are not limited to; high ionic strength by the addition of ionic salts such as sodium chloride, magnesium chloride or choline chloride; high or low pH by adding pharmaceutically acceptable acids or bases; and highly hydrophobic environments by decreasing water content and increasing lipid, oil and/or wax content.

[0020.1] Examples of the other embodiment of packaging which would be carried into tissue includes liposomes or emulsions of collagen, collagen peptides or other components of skin or basement membrane. Examples of neutralization of charge include delivery of the active agent in the form of an ester or salt such as arginine glutamate which is electronically neutral. In each case of creating a hostile biophysical environment for the active agent, the agent was added to an appropriate preparation.

[0020.2] In the case of creating a high ionic strength ions such as but not limited to sodium chloride, potassium chloride, choline chloride, magnesium chloride, lithium chloride, alone or in combination were added in high concentration. An example of a high concentration of high strength ions are sodium chloride (0.25% to 25%), choline chloride (0.25% to 25%) and magnesium chloride (0.25% to 25%) alone or in combination.

[0020.3] Other highly charged molecules such as polylysine, polyglutamine, polyaspartate or copolymers of such charged amino acids may be used to create the hostile biophysical environment. Alternatively a hostile biophysical environment may be created by placing the highly charged L-arginine in an hydrophobic, oily environment such as in an oil-based cream containing little or no water.

[0020.4] Absorption may further be aided, in another embodiment, by combining the use of hostile biophysical environments with the use of penetrating agents such as oleoresin capsicum or its constituents or molecules containing heterocyclic rings to which are attached hydrocarbon chains.

[0020.5]

EXAMPLE 1

[0021] In this example a 53 year old man with a scalp lacking sufficient hair consisting of a severely receding hairline as well as large "bald spot" on the top rear of his head was provided with a penetrating cream containing L-arginine hydrochloride (12.5% w/v), choline chloride (10% w/v), sodium chloride (5% w/v) and magnesium chloride (5% w/v). The cream was applied to the bald areas each night before going to bed and was rubbed in extensively for maximal absorption. New hair growth was noted within 2-3 weeks. Within 4 months the receding hairline (previously 4 cm of bald skin) had returned to normal and the "bald spot" previously more than 7 cm in diameter had been reduced to

an area of less than 2 cm with even this area showing some new hair growth.

[0021.1] The method for promoting hair growth is to provide an effective dose of a nitric oxide precursor in a delivery vehicle, wherein the delivery vehicle is a penetrating cream, a liquid, a lotion, an ointment or other topical preparation. The cream can comprise water (20-80%), mineral oil (3-18%), glyceryl stearate SE (0.5-12%), squalene(0.2-12%), cetyl alcohol (0.1-11%), propylene glycol stearate SE (0.1-11%), wheat germ oil (0.1-6%), glyceryl stearate (0.1-6%), isopropyl myristate (0.1-6%), stearyl stearate (0.1-6%), polysorbate 60 (0.1-5%), propylene glycol(0.05-5%), tocopherol acetate (0.05-5%), collagen (0.05-5%), sorbitan stearate (0.05-5%), vitamin A&D (0.02-4%), triethanolamine (0.01-4%), methylparaben (0.01-4%), aloe vera extract (0.01-4%), imidazolidinyl urea (0.01-4%), propylparaben (0.01-4%), bha (0.01-4%), L-arginine hydrochloride (0.25% to 25%), sodium chloride (0.25% to 25%), magnesium chloride (0.25-25%) and choline chloride (0.25-25%).

EXAMPLE 2

[0022] In a 54 year old man with a history of impotence twice daily administration of a penetrating cream containing L-arginine hydrochloride (12.5% w/v), choline chloride (10% w/v), sodium chloride (10% w/v) and magnesium chloride (5% w/v) directly to the penis twice daily for 7 days brought initial relief from the symptoms of impotence and allowed the subject to resume normal sexual activity. This relief of symptoms was

maintained by continuation of the treatment daily.

[0022.1] A method to overcome impotence is by applying, through means of a delivery vehicle to the penis, an effective dose of a precursor to the endothelial relaxing factor, nitric oxide. The delivery vehicle is a penetrating cream, a liquid, a lotion, an ointment or other topical preparation containing L-arginine, salt or salts of L-arginine, a complex of L-arginine or a derivative of L-arginine in an effective dose.

[0022.2] In another embodiment, the delivery vehicle in addition to the effective dose of L-arginine may contain ionic salts such as to create an ionic strength environment high enough to provide an extra force to cause tissue absorption of the L-arginine species.

[0022.3] In another embodiment, the method for overcoming impotence has the delivery vehicle in the form of a cream that can comprise water (20-80%), mineral oil (3-18%), glyccryl stearate(0.25%-12%), squalene (0.2-12%), wheat germ oil (0.1-6%), cetyl alcohol (0.1-11%), propylene glycol stearate SE (0.1-11%), polysorbate 60(0.1-5%), propylene glycol (0.05-5%), vitamin E (0.02-4%), hyaluronic acid/collagen (0.05-5%), vitamin A& D (0.02-4%), sorbitan stearate (0.05-5%), triethanolamine(0.01-4%), imidazolidinyl urea(0.01-4%), methylparaben(0.01-4%), propylparaben(0.01-4%%) , bha 0.01-4%), aloe vera extract 0.01-4%), L-arginine hydrochloride (0.25% to 25%) and sodium chloride (0.25% to 25%), choline chloride (0.25-25%) and magnesium chloride (0.25-25%).

EXAMPLE 3

[0023] In a 62 year old man with a history of impotence placed a condom containing a water based penetrating cream containing L-arginine hydrochloride (12.5% w/v), choline chloride (10% w/v), sodium chloride (5% w/v) and magnesium chloride (5% w/v) was worn on the flaccid penis for 30-60 minutes before erection was desired. At that time, when sexual performance was needed, an erection was easily obtained and normal sexual activity was conducted.

[0024] Accordingly, it can be seen that in the present invention I have provided nitric oxide precursor agents, L-arginine and its derivatives, which when applied to scalp lacking sufficient hair causes hair growth through utilization of one of the body's own mechanisms. This effect is achieved by providing the biochemical substrate at the local site from which nitric oxide is produced. Nitric oxide causes increased local blood flow, which enables the growth of hair.

[0024.1] Further I have provided nitric oxide precursor agents, L-arginine and its derivatives, which when applied to leg ulcers cause healing through use of the body's own mechanisms. ~~Still further I have provided agents that when applied to a penis subject to erectile dysfunction causes restoration of normal sexual function.~~ This effect is achieved by providing the biochemical substrate at the local site from which the controlling substance, nitric oxide is produced. Nitric oxide causes increases in local

blood flow allowing the body's own healing cells and substances to reach the ulcer site.

A method for increasing local blood flow in tissue is administering topically an effective amount of a nitric oxide precursor, wherein the nitric oxide precursor is either an L-arginine salt, complex or derivative thereof. An effective amount of nitric oxide precursor is L-arginine hydrochloride (0.25% to 25%) or L-arginine glutamate (0.25-25%).

[0024.2] Still further I have provided nitric oxide precursor agents, L-arginine and its derivatives, that when applied to a penis subject to erectile dysfunction causes restoration of normal sexual function.

[0024.3] ~~A method for increasing local blood flow in tissue of a mammal comprising topically administering to the mammal an effective amount of a nitric oxide precursor. The nitric oxide precursor is administered in a delivery vehicle wherein the delivery vehicle is a penetrating cream, a liquid, a lotion, an ointment or other topical preparation and wherein the nitric oxide precursor is L-arginine a salt, a complex or derivative thereof. Further comprising a sufficient amount of ionic salt such as to create an ionic environment to cause absorption of the nitric oxide precursor.~~

[0024.4] ~~A method for increasing local blood flow in tissue of a mammal comprising topically administering to the mammal an effective amount of a nitric oxide precursor. The nitric oxide precursor is administered in a delivery vehicle wherein the delivery vehicle is a penetrating cream, a liquid, a lotion, an ointment or other topical preparation~~

~~and wherein the nitric oxide precursor is L-arginine a salt, a complex or derivative thereof. The delivery vehicle is a hydrophobic penetrating cream containing little or no water.~~

[0024.5] ~~A method for increasing local blood flow in tissue of a mammal comprising topically administering to the mammal an effective amount of a nitric oxide precursor. The nitric oxide precursor is administered in a delivery vehicle wherein the delivery vehicle is a penetrating cream, a liquid, a lotion, an ointment or other topical preparation and wherein the nitric oxide precursor is L-arginine a salt, a complex or derivative thereof. Where the nitric oxide precursor is within a liposome or liposome like structure. Further comprising a sufficient amount of ionic salt such as to create an ionic strength environment within the liposome to cause tissue absorption of the nitric oxide precursor.~~

[0024.6] ~~A method for increasing local blood flow in tissue of a mammal comprising topically administering to the mammal an effective amount of a nitric oxide precursor. The nitric oxide precursor is administered from a trans dermal patch and wherein the nitric oxide precursor is L-arginine, a salt, a complex thereof. The trans dermal patch further comprises a sufficient amount of ionic salts such as to create an ionic strength environment to cause tissue absorption of the L-arginine species.~~

[0024.7] ~~A method for increasing local blood flow in tissue of a mammal comprising topically administering to the mammal an effective amount of a nitric oxide precursor.~~

~~Where the cream consists of water (20-80%), mineral oil (3-18%), glyceryl stearate (0.5-12%), squalene (0.2-12%), cetyl alcohol (0.1-11%), propylene glycol stearate (0.1-11%), wheat germ oil (0.1-6%), glyceryl stearate (0.1-6%), isopropyl myristate (0.1-6%), stearyl stearate (0.1-6%), polysorbate 60 (0.1-5%), propylene glycol (0.05-5%), tocopherol acetate (0.5-5%), collagen (0.05-5%), sorbitan stearate (0.05-5%), vitamin A&D (0.02%-4%), triethanolamine (0.01-4%), methylparaben (0.01-4%), aloe vera extract (0.01-4%), imidazolidinyl urea (0.01-4%), propylparaben (0.01-4%), bha (0.01-4%), L-arginine hydrochloride (0.25% to 25%), sodium chloride (0.025% to 25%), and magnesium chloride (0.25% to 25%). The cream further comprises choline chloride (0.25-25%). The nitric oxide precursor is L-arginine glutamate (0.25-25%).~~

[0024.8] ~~A method for overcoming impotence by applying, through means of a delivery vehicle to the penis, an effective dose of a precursor to the endothelial relaxing factor, nitric oxide. The delivery vehicle is a penetrating cream, a liquid, a lotion, and ointment or other topical preparation containing L-arginine, salt or salts of L-arginine, a complex of L-arginine or a derivative of L-arginine in an effective dose.~~

[0024.9] ~~A method for overcoming impotence by applying, through means of a delivery vehicle to the penis, an effective dose of a precursor to the endothelial relaxing factor, nitric oxide. The delivery vehicle is a penetrating cream, a liquid, a lotion, an ointment or other topical preparation containing L-arginine, salt or salts of L-arginine, a complex of L-arginine or a derivative of L-arginine in an effective dose in addition to~~

~~other ionic salts such as to create an ionic strength environment high enough to provide an extra force to cause tissue absorption of the L-arginine species.~~

[0024.10] ~~A method for overcoming impotence by applying, through means of a delivery vehicle to the penis, an effective dose of a precursor to the endothelial relaxing factor, nitric oxide. The delivery is a penetrating cream of hydrophobic nature containing oils, waxes and other hydrophobic materials and little water sufficient to aid in the absorption of the nitric oxide precursor L-arginine, salt or salts of L-arginine, a complex of L-arginine or a derivative of L-arginine in an effective dose.~~

[0024.11] ~~A method for overcoming impotence by applying, through means of a delivery vehicle to the penis, an effective dose of a precursor to the endothelial relaxing factor, nitric oxide. The delivery vehicle is a penetrating cream, a liquid, a lotion, and ointment or other topical preparation containing L-arginine, salt or salts of L-arginine, a complex of L-arginine or a derivative of L-arginine in an effective dose.~~

[0024.12] ~~A method for overcoming impotence by applying, through means of a delivery vehicle to the penis, an effective dose of a precursor to the endothelial relaxing factor, nitric oxide. The delivery vehicle is a penetrating cream, a liquid, a lotion, an ointment or other topical preparation containing liposomes in which are encapsulated L-arginine, salt or salts of L-arginine, a complex of L-arginine or a derivative of L-arginine in an effective dose in addition to other ionic salts such as to create an ionic strength~~

~~environment high enough to provide extra force to cause tissue absorption of the L-arginine species.~~

[0024.13] ~~A method for overcoming impotence by applying, through means of a delivery vehicle to the penis, an effective dose of a precursor to the endothelial relaxing factor, nitric oxide. The delivery vehicle is contained in a condom or its equivalent which contains a penetrating cream, lotion, gel, ointment or other topical preparation containing L-arginine, a salt or salts of L-arginine, a complex of L-arginine or a derivative of L-arginine in an effective dose.~~

[0024.14] ~~A method for overcoming impotence by applying, through means of a delivery vehicle to the penis, an effective dose of a precursor to the endothelial relaxing factor, nitric oxide. The delivery vehicle is contained in a condom or its equivalent which contains a penetrating cream, lotion, gel, ointment or other topical preparation containing L-arginine, a salt or salts of L-arginine, a complex of L-arginine or a derivative of L-arginine in an effective dose in addition to other ionic salts such as to create an ionic strength environment high enough to provide an extra force to cause tissue absorption of the L-arginine species.~~

[0024.15] ~~A method for overcoming impotence by applying, through means of a delivery vehicle to the penis, an effective dose of a precursor to the endothelial relaxing factor, nitric oxide. Where the delivery vehicle is a cream containing of water (20-80%), mineral oil (3-18%), glyceryl stearate (0.5-12%), squalene (0.2-12%), cetyl alcohol~~

~~(0.1-11%), propylene glycol stearate (0.1-11%), wheat germ oil (0.1-6%), cetyl alcohol (0.1-11%), propylene glycol stearate SE (0.1-11%), polysorbate 60 (0.1-5%), propylene glycol (0.05-5%), vitamin E (0.02-4%), hyaluronic acid/collagen (0.05-5%), vitamin A&D (0.02%-4%), sorbitan stearate (0.05-5%), triethanolamine (0.01-4%), imidazolidinyl urea (0.01-4%), methylparaben (0.01-4%), propylparaben (0.01-4%), bha (0.01-4%), aloe vera extract (0.01-4%), L-arginine hydrochloride (0.25% to 25%), and sodium chloride (0.025% to 25%), choline chloride (0.25-25%), and magnesium chloride (0.25% to 25%).~~

~~[0024.16] A method for promoting hair growth in a mammal comprising administering to the mammal an effective dose of a nitric oxide precursor in a delivery vehicle. The mammal is a female and lacking sufficient hair.~~

~~[0024.17] A method for promoting hair growth in a mammal comprising administering to the mammal an effective dose of a nitric oxide precursor in a delivery vehicle. The mammal is a male and lacking sufficient hair.~~

~~[0024.18] A method for promoting hair growth in a mammal comprising administering to the mammal an effective dose of a nitric oxide precursor in a delivery vehicle. Where the nitric oxide precursor is administered in a delivery vehicle wherein the delivery vehicle is a penetrating cream, a liquid, a lotion, an ointment or other topical preparation and wherein the nitric oxide precursor is L-arginine, a salt, a complex or a derivative~~

~~thereof. Further comprising a sufficient amount of ionic salt such as to create an ionic environment to cause absorption of the nitric oxide precursor.~~

[0024.19] ~~A method for promoting hair growth in a mammal comprising administering to the mammal an effective dose of a nitric oxide precursor in a delivery vehicle. Where the nitric oxide precursor is administered in a delivery vehicle wherein the delivery vehicle is a penetrating cream, a liquid, a lotion, an ointment or other topical preparation and wherein the nitric oxide precursor is L-arginine, a salt, a complex or a derivative thereof. Where the delivery vehicle is a hydrophobic penetrating cream containing little or no water.~~

[0024.20] ~~A method for promoting hair growth in a mammal comprising administering to the mammal an effective dose of a nitric oxide precursor in a delivery vehicle. Where the nitric oxide precursor is administered in a delivery vehicle wherein the delivery vehicle is a penetrating cream, a liquid, a lotion, an ointment or other topical preparation and wherein the nitric oxide precursor is L-arginine, a salt, a complex or a derivative thereof. Where the nitric oxide precursor is within a liposome or liposome like structure. Further comprising a sufficient amount of ionic salt such as to create an ionic strength environment to cause tissue absorption of the nitric oxide precursor.~~

[0024.21] ~~A method for promoting hair growth in a mammal comprising administering to the mammal an effective dose of a nitric oxide precursor in a delivery vehicle. The nitric oxide precursor is administered from a trans dermal patch and wherein the nitric~~

~~oxide precursor is L-arginine, a salt, a complex thereof. The trans-dermal patch further comprises a sufficient amount of ionic salts such as to create an ionic strength environment to cause absorption of the L-arginine species.~~

[0024.22] ~~A method for promoting hair growth in a mammal comprising administering to the mammal an effective dose of a nitric oxide precursor in a delivery vehicle. Where the cream consists of water (20-80%), mineral oil (3-18%), glyceryl stearate SE (0.5-12%), squalene (0.2-12%), cetyl alcohol (0.1-11%), propylene glycol stearate SE (0.1-11%), wheat germ oil (0.1-6%), glyceryl stearate (0.1-6%), isopropyl myristate (0.1-6%), stearyl stearate (0.1-6%), polysorbate 60 (0.1-5%), propylene glycol (0.05-5%), tocopherol acetate (0.05-5%), collagen (0.05-5%), sorbitan stearate (0.05-5%), vitamin A&D (0.02%-4%), triethanolamine (0.01-4%), methylparaben (0.01-4%), aloe vera extract (0.01-4%), imidazolidinyl urea (0.01-4%), propylparaben (0.01-4%), bha (0.01-4%), L-arginine hydrochloride (0.25% to 25%), sodium chloride (0.025% to 25%), magnesium chloride (0.25% to 25%) and choline chloride (0.25-25%). Wherein the nitric oxide precursor is L-arginine glutamate (0.25-25%).~~

[0025] Although the description above contains many specificities, these should not be construed as limiting the scope of the invention but as merely providing illustrations of some of the presently preferred embodiments of this invention. Various other embodiments and ramifications are possible within this scope. Thus the scope of the invention should be determined by the appended claims and their legal equivalents, rather than by the examples given.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.